




RHIMEX




**Profiles of rubber, sponge rubber,
silicone, foam silicone**

angle profiles

AP

Solid rubber

Legend



9999

means

Profile-No.

EP / s / 9999 / (9998)

means Quality / Colour / Article-No. / (Article-No. with sa)

sa = self adhesive









Quality


CR	Neoprene
EP	EPDM
NBR	Perbunan
NK	Natural rubber
Si	Silicone
SPS	Foam silicone
FPM	VITON®
PVC	Soft-PVC
EVA	Ethylenvinylacetat
SBR	Buna (Styrol-Butadien)
-FR	fire resistant

Colours


s	black
g	grey
w	white
az	anthracite
bg	beige
br	brown
hg	light-grey
rb	red-brown
t	translucent
r	red
x	colour selectable

® = Entered registered trade mark of the company DuPont







682
EP/s/ 2081




683
EP/s/ 2082




684
NBR/s/2083




685
EP/s/ 4058
NK/w/2084




686
EP/s/ 2085




687
CR/s/2086




688
EP/s/ 2087/(4870)




691
EP/s/ 2905/(5098)




747
EP/s/ 2194




776
EP/s/ 2444




823
EP/s/ 2672




908
EP/s/ 3088




911
EP/s/ 3092





1072
Si/g/ 3497




1186
EP/s/ 1743




1197
EP/s/ 1742



1262
EP/g/ 4106




1379
EP/g/ 1571




1450
NBR/s/4479


1509
EP/s/ 4696




1691
EP/s/ 5762




1747
EP/s/ 5988




1791
Si/I/ 6088




1798
EP/s/ 6108




1855
EP/s/ 6448




1863
EP/s/ 6544




1895
Si/I/ 6590




1901
Si/s/ 6622




1963
EP/s/ 6871




1994
EP/s/ 6975



1996
EP/s/ 6974




2059
EP/s/ 7158




2067

NR/SBR/s/ 7168




2170

EP/s/ 7620






2267


EP/s/ 7941



2201

EP/s/ 7679






2440
EP/s/7406

Sponge rubber

Legend



25999

means

Profile-No.

EP / s / 9999 / (9998)

means

Quality / Colour / Article-No. / (Article-No. with sa)

sa = self adhesive

Quality


CR	Neoprene
EP	EPDM
NBR	Perbunan
NK	Natural rubber
Si	Silicone
SPS	Foam silicone
FPM	VITON®
PVC	Soft-PVC
EVA	Ethylenvinylacetat
SBR	Buna (Styrol-Butadien)
-FR	fire resistant

Colours


s	black
g	grey
w	white
az	anthracite
bg	beige
br	brown
hg	light-grey
rb	red-brown
t	translucent
r	red
x	colour selectable

® = Entered registered trade mark of the company DuPont


Sponge rubber




25018
EP/s/ 0278




25041
EP/s/ 0300




25064
EP/s/ 0320




25148
EP/s/ 0401




25151
EP/s/ 0404




25163
EP/s/ 1260/(4394)




25193
EP/s/ 2067




25244
EP/s/ 2998




25259
EP/s/ 3068




25276
CR/g/ 3255
CR/rb/ 4136




25321
CR/s/ 3589



25331
EP/g/ 3650




25332
EP/s/ 3656




25363
CR-FR/s/ 3872

Sponge rubber




25586

CR/s/ 5091




25587

CR/s/ 5092




25637

EP/s/ 4588




25652

EP/g/ 4742



25783

EP/s/ 7555



25802

EP/s/ 8253